# IKI Collection by Formica Group Woods





The first and original.
Inspired by life.
Evolving with the times.

#### The first and original

Formica Group invented high pressure laminates in 1913. Pioneers by definition, our iconic Formica® brand represents the quintessence of laminates.

#### Inspired by life

Laminates entered people's daily lives and made modernity dreams come true and accessible. Similarly, the demand for multifunctional, practical and durable designed surfaces is a constant inspiration for our Formica® Collections. At rest, at leisure, at work.


#### **Evolving with the times**

The way people live, work and play continuously changes. Formica Group keep pace with these evolving times through constant innovation, reflecting global trends and responding to ever changing needs and habits.

The true original, still surfacing the world.

F1004 Pale Ash F9229 Dark Sky Birchply





Reflecting the variety of nature. Our Formica® Woods collection displays 81 different wood grains and species, inspired by nature, authentically engineered.









Satin Oak



Tromso Maple



MAT

F3855

Clear Maple









Finn Beech











F8577 Fjord Elm

F8841 MAT/NAT White Ash

F6305 MAT Limed Strand











F1079 Natural Oak

Manitoba Maple

F8578 NAT Sund Elm

F8843 MAT/NAT Natural Ash

NAT

F7603

Bio-Oak

MAT

F5370

Ivory Oak Cross

MAT

F1062

Smoked Oak

NAT

F5483

Mocca Firwood



LNW

F8583

Carpentry Oak

NAT

F8584

Quercus Beige

NAT



F5489

Espresso Pear

F8589

Tula Oak

NAT

PGN

F5872

Refined Walnut

NAT

F8581

Quercus Marron

MAT

MAT

NAT



F8586 MAT Cetina Walnut



F8570 NAT Flute Oak



F8587 MAT Peruca Walnut



F8588 MAT/PGN Nevada Oak



F8845 NAT Bleached Legno



F5873 NAT Ventura Oak



F8006 MAT/NAT Avignon Walnut



F8839 MAT Ashen Ribbonwood



F0873 MAT Ebony Ribbonwood



F6307 MAT Burnt Strand



F5488 NAT Smoky Brown Pear



F8575 NAT Dark Ash



F8851 MAT/LNW Classic Wenge



F5477 MAT Ebony Oak Cross



F1547 MAT Noir Cedar



F8848 MAT/NAT Blackened Legno



F9484 PGN Oxidised Beamwood



F6410 **PGN** Weathered Beamwood



F9480 **PGN** Salvage Planked Elm



F6477 **PGN** Seasoned Planked Elm



F6372 NAT White Washed Birchply



NAT F8910 Raw Birchply



F8552 NAT **Black Birchply** 



F8911 NAT Green Slate Birchply




NAT F9229 Dark Sky Birchply

### Colors with Wood finish



F0949 LNW/NAT White



Alpino



LNW/NAT F7912 Storm



LNW/NAT F2253 Diamond Black

### Surface finishes





Linewood LNW Matte58 MA





Natural NAT Puregrain PG1

















Nocturne Wood

American Walnut

Wenge Strand









F5477 Ebony Oak Cross



F5488 Smoky Brown Pear



F8851 Classic Walnut



F9484 Oxidized Beamwood



F6410 Weathered Beamwood



F9480 Salvage Planked Elm



F6477 Seasoned Planked Elm



White Washed Birchply



F8910 Raw Birchply



F8911 Green Slate Birchply



F9229 Dark Sky Birchply



F8552 Black Birchply

#### Product grades, finishes and accreditations.

This Collection incorporates the following grades of decorative laminate each with its own performance characteristics.

These grades conform to EN438.



#### Formica® Laminate

Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface décor on one side

Grade: HPL/EN 438-3 HGP: Horizontal, General Purpose, Postforming high pressure decorative laminate

HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

Thickness: 0.7 mm (nominal), single sided

Additional flame retardant grades are available on request (please check for available options)



#### Formica® Compact

Sheets (thick) consisting of layers of wood-based fibers impregnated with thermosetting resins and surface décor on one or both sides

Grade: HPL/EN 438-4 CGS: Compact, General Purpose, Standard high pressure decorative laminate

Thickness: Single sided 2, 2.5, 3 mm / Double sided 4, 6, 8, 10, 12, 13, 16, 18, 20 mm

Additional flame retardant grades are available on request (please check for available options)

Product data sheets, including applicable fire rating, can be accessed on formica.info

#### Available surface finishes and recommended applications

Surface Finish Description			Recommended applications			
	Surface Finish Designation	Code	Horizontal (& Vertical), General purpose	Vertical and Light-duty horizontal		
Linewood	LNW	LW	•			
Matte 58	MAT	58	•			
Naturelle	NAT	NT		•		
Puregrain	PGN	35	•			



Sheet size (r				
3050x1300	2150x950	2350x950	2350x1300	3660x1525

Code	Décor	NCS®	RAL Classic	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F0190	Finn Beech	-	-	40.8	MAT	MAT	MAT	MAT	-
F0873	Ebony Ribbonwood	-	-	9.1	MAT	MAT	MAT	MAT	-
F0949	White	S 0502-R50B	9003	81.5	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	-
F1004	Pale Ash	-	-	62.1	NAT	NAT	NAT	NAT	-
F1040	Alpino	S 0502-G50Y	9010	86.9	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	-
F1062	Smoked Oak	-	-	31.7	NAT	-	-	-	-
F1079	Natural Oak	-	-	49.0	NAT	NAT	NAT	NAT	-
F1139	Country Cherry	-	-	21.0	MAT	-	-	-	-
F1293	Redwood	-	-	12.7	MAT	MAT	MAT	MAT	-
F1547	Noir Cedar	-	-	10.3	MAT	MAT	MAT	MAT	MAT
F1548	Mocha Cedar	-	-	28.8	MAT	MAT	MAT	MAT	MAT
F1549	Tromso Maple	-	-	54.9	MAT	MAT	MAT	MAT	-
F1614	Punga Punga Wood	-	-	8.0	MAT	MAT	MAT	MAT	-
F2253	Diamond Black	S 9000-N	9011	6.7	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	-
F2726	Natural Beech	-	-	55.5	MAT	MAT	MAT	MAT	-
F2884	Vosges Pear	-	-	25.2	MAT	MAT	MAT	MAT	-
F3699	Rattan Cane	-	-	23.7	NAT	-	-	-	-
F3855	Clear Maple	-	-	52.2	MAT	MAT	MAT	MAT	-
F5147	Sombre Walnut	-	-	14.1	MAT	-	-	-	-
F5150	American Walnut	-	-	14.6	MAT	-	-	-	MAT
F5370	Ivory Oak Cross	-	-	43.8	MAT	MAT	MAT	MAT	-
F5372	Vintage Wood	-	-	25.2	MAT	MAT	MAT	MAT	-
F5373	Nocturne Wood	-	-	14.7	MAT	MAT	MAT	MAT	-
F5374	Elegant Oak	-	-	35.0	MAT/NAT	MAT/NAT	MAT/NAT	MAT/NAT	MAT
F5477	Ebony Oak Cross	-	-	11.4	MAT	MAT	MAT	MAT	-
F5483	Mocca Firwood	-	-	32.0	LNW	LNW	LNW	LNW	-
	Classic Walnut	-	-	30.5	MAT	MAT	MAT	MAT	-
F5487	Oiled Walnut	-	-	18.6	MAT	-	-	-	-
	Smoky Brown Pear	-	-	14.8	NAT	NAT	NAT	NAT	-
	Espresso Pear	-	-	9.8	NAT	-	-	-	-
	Formal Walnut	-	-	16.1	NAT	NAT	NAT	NAT	-
	Refined Walnut	-	-	11.0	NAT	NAT	NAT	NAT	
	Ventura Oak	-	-	32.4	NAT	NAT	NAT	NAT	
	Pecan Woodline	-	-	27.4	MAT/NAT	MAT	MAT	MAT	
-	Chestnut Woodline	-	-	13.9	MAT	-	-	-	
	Millennium Oak	-	-	26.7	PGN	PGN	PGN	PGN	
	Light Oak	-	-	29.0	MAT	MAT	MAT	MAT	
	Prestige Walnut	-	-	8.8	MAT	-	-	-	
	Limed Strand	-	-	66.7	MAT	-	-	-	
	Wenge Strand	-	-	11.0	MAT	-	-	-	
	Burnt Strand	-	-	15.1	MAT	-	-	-	
	White Washed Birchply	-	-	69.4	NAT	-	-	-	
F6410	Weathered Beamwood	-	-	35.4	PGN	-	-	-	-



Sheet size (mm)						
3050x1300	2150x950	2350x950	2350x1300	3660x1525		

Code	Décor	NCS®	RAL Classic	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F6477	Seasoned Planked Elm	=	-	24.9	PGN	-	-	-	-
F6926	Smoky Walnut Woodline	-	-	22.3	MAT	-	-	-	-
F6930	Natural Cane	-	-	49.1	NAT	NAT	NAT	NAT	-
F6932	Macchiato Walnut	-	-	15.8	MAT/NAT	MAT	MAT	MAT	MAT
F7555	Manitoba Maple	-	-	62.0	MAT	-	-	-	-
F7603	Bio-Oak	=	-	43.0	MAT	MAT	MAT	MAT	-
F7912	Storm	S 6502-B	7015	14.8	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT	-
F7921	Birch	=	-	52.2	MAT	MAT	MAT	MAT	-
F8006	Avignon Walnut	-	-	35.4	MAT/NAT	MAT	MAT	MAT	-
F8552	Black Birchply	-	-	8.8	NAT	NAT	NAT	NAT	-
F8570	Flute Oak	-	-	42.3	NAT	-	-	-	-
F8575	Dark Ash	-	-	11.2	NAT	NAT	NAT	NAT	-
F8576	Blond Cedar	-	-	54.4	MAT	MAT	MAT	MAT	-
F8577	Fjord Elm	=	-	60.5	NAT	-	-	-	-
F8578	Sund Elm	=	-	47.4	NAT	-	-	-	-
F8579	Belvedere Beech	-	-	50.6	NAT	NAT	NAT	NAT	-
F8580	Satin Oak	-	-	45.0	PGN	-	-	-	-
F8581	Quercus Marron	-	-	13.6	NAT	-	-	-	-
F8583	Carpentry Oak	-	-	38.6	NAT	NAT	NAT	NAT	-
F8584	Quercus Beige	-	-	37.0	NAT	-	-	-	-
F8585	Evergreen Oak	-	-	31.3	LNW	LNW	LNW	LNW	-
F8586	Cetina Walnut	-	-	27.9	MAT	MAT	MAT	MAT	-
F8587	Peruca Walnut	=	-	42.6	MAT	MAT	MAT	MAT	-
F8588	Nevada Oak	=	-	30.6	MAT/PGN	MAT/PGN	MAT/PGN	MAT/PGN	MAT
F8589	Tula Oak	=	-	12.9	PGN	PGN	PGN	PGN	-
F8839	Ashen Ribbonwood	=	-	43.0	MAT	MAT	MAT	MAT	-
F8841	White Ash	-	-	69.7	MAT/NAT	MAT	MAT	MAT	-
F8843	Natural Ash	=	-	53.3	MAT/NAT	MAT	MAT	MAT	-
F8844	Aged Ash	-	-	38.9	NAT	NAT	NAT	NAT	-
F8845	Bleached Legno	-	-	21.8	NAT	-	-	-	-
F8847	Jarrah Legno	-	-	11.5	MAT/NAT	MAT	MAT	MAT	-
F8848	Blackened Legno	-	-	8.0	MAT/NAT	NAT	NAT	NAT	-
F8849	Natural Teak	-	-	15.5	MAT	-	-	-	-
F8851	Classic Wenge	-	-	9.4	LNW/MAT	LNW	LNW	LNW	-
F8853	Rural Oak	=	-	32.9	PGN/MAT	PGN	PGN	PGN	MAT
F8902	White Painted Wood	-	-	73.6	PGN	-	-	-	-
F8910	Raw Birchply	=	-	48.5	NAT	NAT	NAT	NAT	-
F8911	Green Slate Birchply	-	-	19.1	NAT	-	-	-	-
F9012	Ebony	-	-	9.6	NAT	NAT	NAT	NAT	-
F9229	Dark Sky Birchply	-	-	15.2	NAT	-	-	-	-
F9480	Salvage Planked Elm	-	-	24.4	PGN	-	-	-	-
F9484	Oxidized Beamwood	-	-	17.5	PGN	-	-	-	-

#### General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit formica.com, or formica. info for technical data, as the most upto-date source of information.. Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement.

#### Colour system notations

NCS® and RAL Classic notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. NCS and RAL Classic notations provided have been established from a standard matt laminate sample. Please note that different surface finishes (texture structure and gloss levels) can have an effect on colour perception. When exact colour information is required, or for cross-material matching (HPL to other materials), please always refer to an actual laminate sample in the specified finish.

#### Light Reflectance Value

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions. This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

#### Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution.

The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.




ISO 14001 Environmental Management

CERTIFIED

ISO 45001 Occupational Health and Safety Management CERTIFIED











#### Disclaime

#### General

The information provided by Formica Group ("Formica") in this document is solely indicative. The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit www.formica.com as the most up-to-date source of information. Formica does not warrant that the information in this document is suitable for your specific purpose. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish.

#### Liabilit

Formica is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management. The limitation of liability applies to all parties affiliated with Formica including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

#### **General Conditions**

All sales of Formica® brand products are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.

#### Intellectual Property

All intellectual property rights and other rights regarding the content of this document (including logos, marks, text and photographs) are owned by Formica Group and/or its licensors.

Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation

